

Enhanced-emission glasses

387	<p>Variation in Eu^{3+} luminescence properties of $\text{GdF}_3:\text{Eu}^{3+}$ nanophosphors depending on matrix GdF_3 polytype X. Zhang, T. Hayakawa, M. Nogami and Y. Ishikawa <i>J. Alloys and Compounds</i>, 509, 2079~2080 (2011).</p>
383	<p>Selective Synthesis and Luminescence Properties of Nanocrystalline $\text{GdF}_3:\text{Eu}^{3+}$ with Hexagonal and Orthorhombic Structures X. Zhang, T. Hayakawa, M. Nogami, and Y. Ishikawa <i>J. Nanomaterials</i>, (2010).</p>
379	<p>Fluorescence line narrowing spectroscopy of Eu^{3+} in zinc-thallium-tellurite glass V. P. Tuyen, T. Hayakawa, M. Nogami, J. R. Duclere, and P. Thomas <i>J. Solid State Chem.</i> 183, 2714~2719 (2010).</p>
378	<p>The photoluminescent properties of Eu^{3+} in $\text{MgO-Ga}_2\text{O}_3\text{-SiO}_2$ nanocrystalline glass-ceramic L. Yu, H. Liu, W. Sun, and M. Nogami <i>J. Phys. Chm. Solids</i>, 71, 1656~1659 (2010).</p>
371	<p>The synthesis and photoluminescent properties of one-dimensional $\text{ZnMoO}_4:\text{Eu}^{3+}$ nanocrystals L. Yu and M. Nogami <i>Mater. Lett.</i> 64, 1644~1646 (2010).</p>
369	<p>The affects of doping Eu^{3+} on structures and morphology of ZrO_2 nanocrystals Y. Lixin, L. Hai and M. Nogami <i>Optical Materials</i>, 32, 1139~1141 (2010).</p>
366	<p>Hydrogen Gas Reaction with Eu^{3+}-Doped $\text{Al}_2\text{O}_3\text{-SiO}_2$ Glasses M. Nogami, K. Watanabe, Y. Ito, H. Ito and H. Nakano <i>J. Am. Ceram. Soc.</i> 93, 1663~1667 (2010).</p>
350	<p>Blue light emission from Eu^{2+} ions in sol-gel-derived $\text{Al}_2\text{O}_3\text{-SiO}_2$ glasses Y. Kishimoto, X. Zhang, T. Hayakawa, and M. Nogami <i>J. Lumin.</i> 129,1055~1059 (2009).</p>
344	<p>Size-Dependence of $\text{LaF}_3:\text{Eu}^{3+}$ Nanocrystals on Eu^{3+} Photoluminescence Intensity X. Zhang T. Hayakawa and M. Nogami <i>Mater. Sci. and Eng.</i> 1 012021~1 012022 (2009).</p>
342	<p>Excitation-emission properties of Er^{3+} ions doped in nonlinear optical $\text{TeO}_2\text{-Nb}_2\text{O}_5\text{-ZnO}$ glass by 800 nm femtosecond laser excitation. T. Hayakawa, M. Hayakawa, and M. Nogami <i>J. Ceramic Soc. Japan</i>, 116, 1092~1095 (2008).</p>
341	<p>Up-conversion Luminescence of Terbium(III) in SiO_2 and ZnO-SiO_2 Glasses Induced by Simultaneous Absorption of Three Photons and Saturation L. Yu and M. Nogami <i>Spectroscopy Letters</i>, 41, 344~348 (2008).</p>
335	<p>Photoluminescent changes of Eu^{3+} in ZnO-SiO_2 glasses induced by femtosecond laser L. Yu and M. Nogami <i>J. Alloys and Compounds</i>, 462, 187~191 (2008).</p>

332	<p>Estimation of the fs laser spot temperature inside TeO₂-ZnO-Nb₂O₅ glass by using up-conversion green fluorescence of Er³⁺ ions T. Hayakawa, M. Hayakawa, and M. Nogami J. Alloys Compounds, 451, 77~80 (2008).</p>
330	<p>Upconversion luminescence properties of europium in ZnO-SiO₂ glasses by femtosecond laser excitation L. Yu, and M. Nogami Materials Chem. Phys., 107, 186~188 (2008).</p>
325	<p>Magnetic properties of EuO-Al₂O₃-B₂O₃-SiO₂ glasses with high Eu²⁺ concentration Y. Sugihara, T. Hayakawa, and M. Nogami J. Ceram. Soc. Japan, 115, 602~604 (2007).</p>
318	<p>Local structure and photoluminescent characteristics of Eu³⁺ in ZnO-SiO₂ glasses L. Yu and M. Nogami J. Sol-Gel Sci. Tech. 43, 355~360 (2007).</p>
309	<p>Eu³⁺-fluorescence properties in nano-crystallized SnO₂-SiO₂ glass-ceramics V. Gueu, Virginie; H. You, T. Hayakawa, and M. Nogami J. Sol-Gel Sci. Tech. 41, 231~236 (2007).</p>
301	<p>Redox equilibrium of samarium ions doped in Al₂O₃-SiO₂ glasses M. Nogami, T. Hagiwara, G. Kawamura, El-Sayed Ghaith, and T. Hayakawa J. Lumin. 124, 291~296 (2007).</p>
291	<p>High-efficient Eu³⁺ red emission due to excitation energy transfer from nano-sized SnO₂ crystals T. Hayakawa and M. Nogami Adv. Mater. Res. 11-12, 579~582 (2006).</p>
262	<p>Effect of Al³⁺ and Ti⁴⁺ ions on the laser reduction of Sm³⁺ ion in glass M. Nogami, G. Kawamura, G. J. Park, H. You, and T. Hayakawa J. Lumin. 114, 178~186 (2005).</p>
259	<p>Optical Properties and Valence Change of Europium Ions in a Sol-Gel Al₂O₃-B₂O₃-SiO₂ Glass by Femtosecond Laser Pulses H. You and M. Nogami J. Phys. Chem. B, 109, 13980~3984 (2005).</p>
248	<p>High luminescence quantum efficiency of Eu³⁺-doped SnO₂-SiO₂ glasses due to excitation energy transfer from nano-sized SnO₂ crystals T. Hayakawa and M. Nogami Sci. Tech. Adv. Mater. 6, 66~70 (2005).</p>
233	<p>Optical properties and local structure of Eu³⁺ ions in sol-gel TiO₂-SiO₂ glasses H. You and M. Nogami J. Phys.Chem. B, 108, 12003~12008 (2004).</p>
232	<p>Enhancement of ⁵D₀-⁷F_J emissions of Eu³⁺ ions in the vicinity of polymer-protected Au nanoparticles in sol-gel-derived B₂O₃-SiO₂ glass T. Hayakawa, K. Furuhashi, and M. Nogami J. Phys. Chem. B, 108, 11301~11307 (2004).</p>
231	<p>Upconversion luminescence of Al₂O₃-SiO₂:Ce³⁺ glass by femtosecond laser irradiation H. You, T. Hayakawa, and M. Nogami Appl. Phys. Lett., 85, 3432~3234 (2004).</p>

226	<p>Local-field enhancement influenced on Eu^{3+} fluorescence in the victory of Au nanoparticles in Sol-gel derived $\text{B}_2\text{O}_3\text{-SiO}_2$ glass</p> <p>T. Hayakawa, K. Furuhashi and M. Nogami J.Ceram.Soc. Japan Suppl. 112, S256~S260 (2004).</p>
221	<p>Three-photon-excited fluorescence of $\text{Al}_2\text{O}_3\text{-SiO}_2$ glass containing Eu^{3+} ions by femtosecond laser irradiation</p> <p>H. You and M. Nogami Appl. Phys. Lett., 84, 2076~2078 (2004).</p>
214	<p>Laser precipitation of SnO_2 nanocrystals in glass and energy transferred-fluorescence of Eu^{3+} ions</p> <p>M. Nogami and Y. Ohno J. Non-cryst. Solids, 330, 264~267 (2003).</p>
212	<p>Laser induced SnO_2 crystallization and fluorescence properties in Eu^{3+}-doped-$\text{SnO}_2\text{-SiO}_2$ glasses</p> <p>M. Nogami, A. Ohno and H. You Phys. Rev. B, 68, 104204/1~104204/7 (2003).</p>
208	<p>Optical nonlinearity of glass containing nano-particle CdS and $\text{SnO}_2\text{:Eu}^{3+}$</p> <p>M. Nogami and T. Hayakawa Int. J. Mater. Prod. Technol. 18, 283~295 (2003).</p>
203	<p>White light emission from radical carbonyl-terminations in $\text{Al}_2\text{O}_3\text{-SiO}_2$ porous glasses with high luminescence quantum efficiencies</p> <p>T. Hayakawa, A. Hiramitsu and M. Nogami Appl. Phys. Lett. 82, 2975~2977 (2003).</p>
194	<p>Manganese-doping effects on magneto-optical properties of terbium borate glass</p> <p>T. Hayakawa, D. Imaizumi and M. Nogami J. Ceram. Soc. Japan, 110, 970~974 (2002).</p>
188	<p>Faraday rotation effect of highly $\text{Tb}_2\text{O}_3/\text{Dy}_2\text{O}_3$-concentrated $\text{B}_2\text{O}_3\text{-Ga}_2\text{O}_3\text{-SiO}_2\text{-P}_2\text{O}_5$ glasses</p> <p>T. Hayakawa, M. Nogami, N. Nishi, and N. Sawanobori, Chem. Mater. 14, 3220-3222 (2002).</p>
183	<p>Nanocrystalline SnO_2 particles and two fold-coordinated Sn defect centers in sol-gel-derived $\text{SnO}_2\text{-SiO}_2$ glasses.</p> <p>T. Hayakawa, T. Enomoto, and M. Nogami J. Mater. Res., 17, 1305~1311 (2002).</p>
181	<p>Enhanced fluorescence of Eu^{3+} induced by energy transfer from nanosized SnO_2 crystals in glass</p> <p>M. Nogami, T. Enomoto and T. Hayakawa J. Lumin., 97, 147~152 (2002).</p>
167	<p>Enhanced fluorescence from Eu^{3+}-doped silica gels by adsorbed CdS nanoparticles</p> <p>S. T. Selvan, T. Hayakawa and M. Nogami J. Non-cryst. Solids, 291, 137~141 (2001).</p>
164	<p>Energy migration of the local excitation at the Eu^{3+} site in a Eu-O chemical cluster in sol-gel derived $\text{SiO}_2\text{:Eu}^{3+}$ glasses</p> <p>T. Hayakawa and M. Nogami J. Apply. Phys. 90, 2200-2205 (2001).</p>
158	<p>Fluorescence properties of Eu-doped $\text{GeO}_2\text{-SiO}_2$ glass heated under an H_2 atmosphere</p> <p>M. Nogami J. Lumin., 92, 329-336 (2001).</p>

153	Optical bistability of stimulated-emission lines in Sm³⁺-doped glass microspheres T. Hayakawa, H. Ooishi, and M. Nogami <i>Optics Lett.</i> , 26 , 84~86 (2001).
147	Energy transfer between Eu ³⁺ ions and CdS quantum dots in sol-gel derived CdS/SiO ₂ :Eu ³⁺ gel T. Hayakawa, S. Tamil Selvan, and M. Nogami <i>J. Sol-gel Sci. Tech.</i> , 19 , 779~783 (2000).
137	Influence of adsorbed CdS nanoparticles on ⁵ D ₀ → ⁷ F _j emissions in Eu ³⁺ -doped silica gel T. Hayakawa, S. Tamil Selvan and M. Nogami <i>J. Lumin.</i> , 87/89 , 532~534 (2000).
124	Enhanced fluorescence from Eu ³⁺ owing to surface plasma oscillation of small silver particles in glass T. Hayakawa, S. Tamil Selvan, and M. Nogami <i>J. Non-Cryst. Solids</i> , 259 , 16~22 (1999).
115	Remarkable influence of silver islands on the enhancement of fluorescence from Eu ³⁺ ion-doped silica gels S. Tamil Selvan, T. Hayakawa, and M. Nogami <i>J. Phys. Chem. B</i> , 103 7064~7067 (1999).
107	Field enhancement effect of small Ag particles on the fluorescence from Eu ³⁺ -doped SiO ₂ glass T. Hayakawa, S. Tamil-Selvan, and M. Nogami <i>Appl. Phys. Lett.</i> 74 , 1513~1515 (1999).
106	Comparison of temperature dependence of the fluorescence of Sm ²⁺ -ion doped in different hosts H. Song, T. Hayakawa, and M. Nogami <i>J. Lumin.</i> 81 , 153~157 (1999).
91	Fluorescence properties of Eu ³⁺ and Eu ²⁺ codoped in aluminosilicate glass M. Nogami, T. Yamazaki, Y. Abe <i>J. Lumin.</i> 78 , 63~68 (1998).
81	Fluorescence spectroscopy of silicate glasses doped with Sm ²⁺ and Al ³⁺ ions M. Nogami, and Y. Abe <i>J. Appl. Phys.</i> 81 , 6351~6356 (1997).
73	Enhanced emission from Eu ²⁺ ions in sol-gel-derived Al ₂ O ₃ -SiO ₂ glasses M. Nogami, and Y. Abe <i>Appl. Phys. Lett.</i> 69 , 3776~3778 (1996).
72	Fluorescence properties of Sm ²⁺ ions in silicate glasses M. Nogami, and Y. Abe <i>J. Appl. Phys.</i> 80 , 409~414 (1996).
70	Properties of sol-gel-derived Al ₂ O ₃ -SiO ₂ glasses using Eu ³⁺ ion fluorescence spectra N. Nogami and Y. Abe <i>J. Non-cryst. Solids</i> , 197 , 73~78 (1996).